



Volume 3, 6-9 May 2001 Page(s):0\_2 - boxii

[AbstractPlus](#) | Full Text: [PDF\(3708 KB\)](#) IEEE CNF



**33. The 2001 IEEE International Symposium On Circuits And Systems**

Circuits and Systems, 2001. ISCAS 2001. The 2001 IEEE International Symposium on  
Volume 2, 6-9 May 2001 Page(s):0\_1 - xlii

[AbstractPlus](#) | Full Text: [PDF\(7544 KB\)](#) IEEE CNF



**34. Experience with testing and modeling of gas turbines**

Nagpal, M.; Moshref, A.; Morison, G.K.; Kundur, P.;  
Power Engineering Society Winter Meeting, 2001. IEEE  
Volume 2, 28 Jan.-1 Feb. 2001 Page(s):652 - 656 vol.2

[AbstractPlus](#) | Full Text: [PDF\(832 KB\)](#) IEEE CNF



**35. Modeling of DG to interface with distribution system**

Kojovic, L.;  
Power Engineering Society Summer Meeting, 2002 IEEE  
Volume 1, 21-25 July 2002 Page(s):179 - 180 vol.1

[AbstractPlus](#) | Full Text: [PDF\(205 KB\)](#) IEEE CNF



**36. Proceedings of the Power Conversion Conference-Osaka 2002**

Power Conversion Conference, 2002. PCC Osaka 2002. Proceedings of the  
Volume 3, 2-5 April 2002 Page(s):0\_2 - xxxi

[AbstractPlus](#) | Full Text: [PDF\(1323 KB\)](#) IEEE CNF



**37. Power Conversion Conference - Osaka 2002**

Power Conversion Conference, 2002. PCC Osaka 2002. Proceedings of the  
Volume 1, 2-5 April 2002 Page(s):0\_1 - xxxii

[AbstractPlus](#) | Full Text: [PDF\(1657 KB\)](#) IEEE CNF



**38. A new control scheme for variable speed wind turbines using neural networks**

Kanellos, F.D.; Hatziaargyriou, N.D.;  
Power Engineering Society Winter Meeting, 2002. IEEE  
Volume 1, 27-31 Jan. 2002 Page(s):360 - 365 vol.1

[AbstractPlus](#) | Full Text: [PDF\(255 KB\)](#) IEEE CNF



**39. Proceedings of the Power Conversion Conference-Osaka 2002 (Cat. No.02TH8579)**

Power Conversion Conference, 2002. PCC Osaka 2002. Proceedings of the  
Volume 2, 2-5 April 2002

[AbstractPlus](#) | Full Text: [PDF\(1352 KB\)](#) IEEE CNF



**40. Circuit-level comparison of STATCOM technologies**

Lee, C.K.; Leung, J.S.K.; Hui, S.Y.R.; Chung, H.S.H.;  
Power Electronics Specialist Conference, 2003. PESC '03. 2003 IEEE 34th Annual  
Volume 4, 15-19 June 2003 Page(s):1777 - 1784 vol.4

[AbstractPlus](#) | Full Text: [PDF\(747 KB\)](#) IEEE CNF



**41. Two-folded implementation of a 12-pulse TCR with dissimilar transformers for a ladle furnace: reactive compensation and power system redundancy**

Kose, N.; Mutluer, B.; Ermis, M.; Terciyanli, A.; Gultekin, B.; Bilgin, F.; Ermis, C.; Hasbay, S.; Deyifli, M.; Ahi,  
Industry Applications Conference, 2004. 39th IAS Annual Meeting. Conference Record of the 2004 IEEE  
Volume 1, 3-7 Oct. 2004 Page(s):

[AbstractPlus](#) | Full Text: [PDF\(1529 KB\)](#) IEEE CNF



**42. Method for harmonic simulation in power distribution network and centralised active filtering analysis**

Beguery, P.; Bonnard, F.; Bastard, P.;

Electricity Distribution. Part 1. Contributions. 14th International Conference and Exhibition on (IEE Conf. Publ  
Volume 1, 2-5 June 1997 Page(s):35/1 - 35/5 vol.2

[AbstractPlus](#) | Full Text: [PDF\(360 KB\)](#) [IEE CNF](#)



Indexed by  
 Inspec

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IE


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "circuit breaker&lt;and&gt;saber"

Your search matched 33 of 1142142 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail

[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

circuit breaker&lt;and&gt;saber

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

Select Article Information

- |                          |  |
|--------------------------|--|
| <input type="checkbox"/> | <p><b>1. Switching overvoltages in motor circuits for petrochemical applications</b><br/>         Berth, M.; Kung, L.; Limbeek, E.F.D.E.;<br/>         Petroleum and Chemical Industry Conference, 2000. Record of Conference Papers. Industry Applications So<br/>         11-13 Sept. 2000 Page(s):115 - 122<br/> <a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(604 KB)</a> IEEE CNF</p>               |
| <input type="checkbox"/> | <p><b>2. New specific design methodology for functional integration</b><br/>         Marmouget, M.; Sanchez, J.L.; Austin, P.; Breil, M.; Laur, J.P.;<br/>         Semiconductor Conference, 1999. CAS '99 Proceedings. 1999 International<br/>         Volume 1, 5-9 Oct. 1999 Page(s):47 - 50 vol.1<br/> <a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(368 KB)</a> IEEE CNF</p>                        |
| <input type="checkbox"/> | <p><b>3. 2004 Index</b><br/>         Power Electronics, IEEE Transactions on<br/>         Volume 19, Issue 6, Nov 2004 Page(s):1693 - 1716<br/>         Full Text: <a href="#">PDF(248 KB)</a> IEEE JNL</p>  |
| <input type="checkbox"/> | <p><b>4. Subject Index</b><br/>         Magnetism, IEEE Transactions on<br/>         Volume 39, Issue 6, Nov. 2003 Page(s):3658 - 3730<br/> <a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(843 KB)</a> IEEE JNL</p>   |
| <input type="checkbox"/> | <p><b>5. Subject Index</b><br/>         Industry Applications, IEEE Transactions on<br/>         Volume 34, Issue 6, Nov.-Dec. 1998 Page(s):43 - 123<br/> <a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(888 KB)</a> IEEE JNL</p>   |
| <input type="checkbox"/> | <p><b>6. An experimentally verified hybrid Cassie-Mayr electric arc model for power electronics simulations</b><br/>         King-Jet Tseng; Yaoming Wang; Vilathgamuwa, D.M.;<br/>         Power Electronics, IEEE Transactions on<br/>         Volume 12, Issue 3, May 1997 Page(s):429 - 436<br/> <a href="#">AbstractPlus</a>   <a href="#">References</a>   Full Text: <a href="#">PDF(168 KB)</a> IEEE JNL</p> |
| <input type="checkbox"/> | <p><b>7. Expert system for voltage control and synchronised switching command in a 400 kV power substation</b><br/>         Cipcigan, L.; Chindris, M.; Smith, K.S.; Funabashi, T.;<br/>         Power Tech Proceedings, 2001 IEEE Porto</p>   |

Volume 2, 10-13 Sept. 2001 Page(s):6 pp. vol.2

[AbstractPlus](#) | Full Text: [PDF\(452 KB\)](#) IEEE CNF



**8. Distributed Electrical Power Management Architecture**

Bailey, M.; Hale, N.; Ucerpl, G.; Hunt, J.-A.; Mollov, S.; Forsyth, A.;

Electrical Machines and Systems for the More Electric Aircraft (Ref. No. 1999/180), IEE Colloquium on  
9 Nov. 1999 Page(s):7/1 - 7/4

[AbstractPlus](#) | Full Text: [PDF\(252 KB\)](#) IEE CNF



**9. 2004 Subject Index**

Industry Applications, IEEE Transactions on

Volume 41, Issue 1, Jan.-Feb. 2005 Page(s):332 - 475

Full Text: [PDF\(1896 KB\)](#) IEEE JNL



**10. Dynamic electric arc model for electronic circuit simulation**

Tseng, K.J.; Wang, Y.;

Electronics Letters

Volume 32, Issue 8, 11 April 1996 Page(s):705 - 707

[AbstractPlus](#) | Full Text: [PDF\(368 KB\)](#) IEE JNL



**11. Efficient algorithm for untestable path detection**

Hun Heo; Sun Young Hwang;

Electronics Letters

Volume 32, Issue 8, 11 April 1996 Page(s):707 - 708

[AbstractPlus](#) | Full Text: [PDF\(240 KB\)](#) IEE JNL



**12. Analysing a 400 kV power system for an expert system switching**

Cipcigan, L.; Smith, K.S.; Hiley, J.;

Electrotechnical Conference, 2000. MELECON 2000. 10th Mediterranean

Volume 3, 29-31 May 2000 Page(s):999 - 1002 vol.3

[AbstractPlus](#) | Full Text: [PDF\(316 KB\)](#) IEEE CNF



**13. 2004 Author Index**

Industry Applications, IEEE Transactions on

Volume 41, Issue 1, Jan.-Feb. 2005 Page(s):255 - 331

Full Text: [PDF\(1096 KB\)](#) IEEE JNL



**14. A 25-MW soft-switching HVDC tap for /spl plusmn/500-kV transmission lines**

Aredes, M.; Portela, C.; Machado, F.C.;

Power Delivery, IEEE Transactions on

Volume 19, Issue 4, Oct. 2004 Page(s):1835 - 1842

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(728 KB\)](#) IEEE JNL



**15. Author Index**

Magnetics, IEEE Transactions on

Volume 39, Issue 6, Nov. 2003 Page(s):3622 - 3657

[AbstractPlus](#) | Full Text: [PDF\(520 KB\)](#) IEEE JNL



**16. Protection of superconducting magnets**

Schultz, J.H.;

Applied Superconductivity, IEEE Transactions on

Volume 12, Issue 1, March 2002 Page(s):1390 - 1395

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(235 KB\)](#) IEEE JNL



**17.**

**Author Index**

Industry Applications, IEEE Transactions on

Volume 38, Issue 1, Jan.-Feb. 2002 Page(s):211 - 246

[AbstractPlus](#) | [Full Text: PDF\(330 KB\)](#) IEEE JNL



**18. Three-phase short circuit testing of high-voltage circuit breakers using synthetic circuits**

Dufourmet, D.; Montillet, G.;

Power Delivery, IEEE Transactions on

Volume 15, Issue 1, Jan. 2000 Page(s):142 - 147

[AbstractPlus](#) | [References](#) | [Full Text: PDF\(104 KB\)](#) IEEE JNL



**19. Influence of interrupted current amplitude on the post-arc current and gap recovery after current zero simulation**

Huber, E.F.-J.; Weltmann, K.D.; Froehlich, K.;

Plasma Science, IEEE Transactions on

Volume 27, Issue 4, Aug. 1999 Page(s):930 - 937

[AbstractPlus](#) | [References](#) | [Full Text: PDF\(220 KB\)](#) IEEE JNL



**20. Author Index**

Industry Applications, IEEE Transactions on

Volume 34, Issue 6, Nov.-Dec. 1998 Page(s):1 - 42

[AbstractPlus](#) | [Full Text: PDF\(676 KB\)](#) IEEE JNL



**21. Antennas for communications**

Ramsdale, P.;

Communications Magazine, IEEE

Volume 19, Issue 5, Sep 1981 Page(s):28 - 30

[AbstractPlus](#) | [Full Text: PDF\(1216 KB\)](#) IEEE JNL



**22. Realtime fault detection and classification in power systems using microprocessors**

Barros, J.; Drake, J.M.;

Generation, Transmission and Distribution, IEE Proceedings-

Volume 141, Issue 4, July 1994 Page(s):315 - 322

[AbstractPlus](#) | [Full Text: PDF\(524 KB\)](#) IEEE JNL



**23. Dynamic model of fluorescent lamp implemented in PSpice**

Tseng, K.J.;

Power Conversion Conference - Nagaoka 1997., Proceedings of the

Volume 2, 3-6 Aug. 1997 Page(s):859 - 864 vol.2

[AbstractPlus](#) | [Full Text: PDF\(532 KB\)](#) IEEE CNF



**24. An equivalent circuit for calculation of interturn voltage distribution of stator windings in the presence**

Islam, S.; Ledwich, G.;

Properties and Applications of Dielectric Materials, 1997., Proceedings of the 5th International Conference on

Volume 1, 25-30 May 1997 Page(s):507 - 510 vol.1

[AbstractPlus](#) | [Full Text: PDF\(324 KB\)](#) IEEE CNF




**25. ICOPS 2000. IEEE Conference Record - Abstracts. 27th IEEE International Conference on Plasma Science (No.00CH37087)**

Plasma Science, 2000. ICOPS 2000. IEEE Conference Record - Abstracts. The 27th IEEE International Conference 4-7 June 2000

[AbstractPlus](#) | [Full Text: PDF\(1876 KB\)](#) IEEE CNF






[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local<sup>New!</sup>](#) [more »](#)  
  [Advanced Search](#)  
[Preferences](#)

**Web**Results 1 - 10 of about **43,200** for **mast hardware definition language**. (0.55 seconds)

Tip: Click to get a definition of: [mast hardware language](#)  
 Or just click on the underlined words in the above colored bar

**[PDF] Design for Obsolescence Using Programmable Hardware**File Format: PDF/Adobe Acrobat - [View as HTML](#)

... EW System - Embed Wide/Narrow Band Tuner on **Mast**. • Integrated High-Tech Unit.  
 • Low Cost Controller ... Use of Standard **Hardware Definition Language** to ...

[www.plextek.com/download/mradford.pdf](http://www.plextek.com/download/mradford.pdf) - [Similar pages](#)
**MAST - Analog, Mixed-Technology and Mixed-Signal HDL for Saber**

**MAST Hardware Description Language** (HDL) for Synopsys analog, mixed-signal and  
 ... It also has a well-defined interface that lets you access C++ and FORTRAN ...

[www.synopsys.com/products/mixedsignal/saber/mast\\_ds.html](http://www.synopsys.com/products/mixedsignal/saber/mast_ds.html) - 14k - [Cached](#) - [Similar pages](#)
**Model Architect: Model Development Tools for MAST**

... will be written in Synopsys' **MAST. hardware** description language, ... the BH  
 loop scaling factors Hsat and Bsat which **define** the saturation point. ...

[www.synopsys.com/products/mixedsignal/saber/model\\_architect\\_ds.html](http://www.synopsys.com/products/mixedsignal/saber/model_architect_ds.html) - 27k -

[Cached](#) - [Similar pages](#)
**AHDLs**

MGSAM - Analogue **Hardware Description Languages** (AHDL) ... This simple **definition**  
 of a resistor shows the flexibility of the language over the standard ...

[www.essex.ac.uk/ece/research/da\\_lab/html/mgsam\\_spectreHDL.html](http://www.essex.ac.uk/ece/research/da_lab/html/mgsam_spectreHDL.html) - 3k - [Cached](#) - [Similar pages](#)
**[PDF] MAST - Analog, Mixed-Technology and Mixed-Signal HDL for Saber**File Format: PDF/Adobe Acrobat - [View as HTML](#)

... The **MAST Hardware Description Language** (HDL) from Synopsys is the defacto ...  
**defined** interface that lets you access C++ and FORTRAN routines from ...

[www.msc.rl.ac.uk/europractice/vendors/mast.pdf](http://www.msc.rl.ac.uk/europractice/vendors/mast.pdf) - [Similar pages](#)
**dinghy: Definition and Much More From Answers.com**

... Note: click on a word meaning below to see its connections and related words.

... or with a simple lifting tackle rigged from the main **mast**. ...

[www.answers.com/topic/dinghy](http://www.answers.com/topic/dinghy) - 35k - [Cached](#) - [Similar pages](#)
**Seaways' Shipmodeling List Archives -- 1999**

... Square knot (reef knot) -- robands that attach the sail to the **mast** or ...

Here is the **definition** given in 1867 by Admiral Smyth: ...

[www.seaways.com/subarc99/deckhw.htm](http://www.seaways.com/subarc99/deckhw.htm) - 23k - [Cached](#) - [Similar pages](#)
**Richard A. Bartle: Improvements in the Next Version of MUD**

... much of the work in the Mark is done in the adventure-**definition language**,

... it might be made up of more objects, for example a hull, **mast**, and sails ...

[www.mud.co.uk/richard/iitnvom.htm](http://www.mud.co.uk/richard/iitnvom.htm) - 20k - [Cached](#) - [Similar pages](#)
**[PDF] Behavioural Modelling of Operational Amplifier Faults using ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **MAST, Hardware** Description languages, Simulation,. Operational Amplifier.



1 Introduction ... The model defined by equation (1) was implemented as a ...  
eprints.ecs.soton.ac.uk/7348/01/bmas\_1018.pdf - [Similar pages](#)

**CoventorWare™: ARCHITECT:**

... A **Hardware Description Language**, like **MAST** (SABER) or Verilog-A (Cadence) ...  
All needed interface **definitions** are well **defined** and documented to enable ...  
www.coventor.com/coventorware/architect/hdl\_model\_value.html - 18k - [Cached](#) - [Similar pages](#)

Goooooooooooooogle ►

Result Page:    1 2 3 4 5 6 7 8 9 10    [Next](#)

Free! Google Desktop Search: Search your own computer. [Download now.](#)

**Find:**    ✉ emails - 📄 files - 👤 chats - 🌐 web history - 🎵 media - 📎 PDF

mast hardware definition languag    **Search**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	("4245318" "4733032" "4868770" "5046024" "5092780").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 18:34
L2	7	("5168261" "5199103" "5548539" "5418677" "5872722" "5946474" "5963724").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 18:35
S1	32517	circuit adj breaker	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 18:19
S2	2505	S1 and trip and latch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 11:58
S3	400	S2 and (model\$4 or emulat\$4 or simulat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 11:58
S4	825	S1 same (model\$4 or emulat\$4 or simulat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 11:59
S5	145	S4 and trip and latch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 16:19
S6	453	S1 with (model\$4 or emulat\$4 or simulat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 11:59
S7	81	S6 and trip and latch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 12:00
S8	77	S7 and (temperature or force)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 12:00
S9	36	S7 and (temperature and force)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 12:34
S10	1	"5136457".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 13:54

S11	1	"5136457".pn. and "43"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 14:15
S12	0	mast adj ((hardware with language) or hdl)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 14:16
S13	319	(mast or mast(r)) with ((hardware with language) or hdl)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 14:20
S14	11	(mast or mast(r)) adj ((hardware with language) or hdl)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 14:17
S15	0	"fig.20 is a portion of the user generated code"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 14:18
S16	0	"6629044".pn. and (trip adj unit adj control adj hardware)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 14:19
S17	1	"6629044".pn. and (user adj generated adj code adj employed)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 14:20
S18	7	(mast) with ((hardware with language) or hdl)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 16:18
S19	15	(circuit adj breaker) and (simulink or saber or spice)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 16:19
S20	3	S19 and trip and latch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 16:19